PubMed details Page 1 of 1

PubMed

Search: agonist (IL-27 or L-27R or WSX-1 or il-27R/wsx-1 or teer wsx/teer or wsx-1/tee p28/EBI3)

U.S. National Library of Medicine National Institutes of Health

Search Details

Query Translation: agonist[All Fields] AND (IL-27[All Fields] OR (L[All Fields] AND 27R[All Fields]) OR WSX-1[All Fields] OR il27R/wsx-1[All Fields] OR (tccr[All Fields] AND wsx[All Fields] AND tccr[All Fields]) OR wsx-1/tccr[All Fields] OR wsx-1/tccr[All Fields] OR wsx-1/tccr[All Fields] OR wsx-1/tccr wsx-1/cor wsx-1/cor

Result:

6

Phrase(s) Not Found:

L-27R

Database:

PubMed

User query:

agonist (IL-27 or L-27R or WSX-1 or il-27R/wsx-1 or teer wsx/teer or wsx-1/teer or wsx-1/gp130 or p28/EBI3)

PubMed

Search: agonist (IL-27 or L-27R or WSX-1 or iI-27R/wsx-1 or teer wsx/teer or wsx-1/tee p28/EBI3)

U.S. National Library of Medicine National Institutes of Health

Display Settings: Summary, 20 per page, Sorted by Recently Added

Filter your results: All (6)

The following term was not found in PubMed: L-27R.

Manage F∜ters

The following term was not found in Pubmed: L-2/F

See the search details.

Are you looking for gene information?

Source, Gene Setabase

ebi3 in Homo saniens | Mus musculus | Rattus norvegicus | Ali 9 Gene records

gp130 in Dictyostellum discoideum AX4 | Homo sapiens i All 10 Gene records

II27 in Homo sapiens | Mus musculus | Rattus norvegicus | Alt 12 Gene records

Il27r in Homo sapiens | Mus musculus | Alt 2 Gene records

p28 in Etrischia chaffeensis str. Arkansas i Bacteriophage APSE-2 | Candidatus Hamiltonella defensa 5AT Acyrthosiphon pisum | All.16 Gene records

toor in Homo sapiens | Mus musquius | All 2 Gene records

wsx1 in Homo sapiens | Mus musculus | All 2 Gene records

Results: 6

Interleukin-27 expression following infection with the murine gammaherpesvirus 68.

Nelson DA, Tolbert MD, Clemens MG, Bost KL.

Cytokine. 2010 May 19. [Epub ahead of print]

PMID. 20493722 [PubMed - as supplied by publisher]

Epstein-barr virus-induced gene-3 is expressed in human atheroma plaques.

Kempe S, Heinz P, Kokai E, Devergne O, Marx N, Wirth T.

Am J Pathol. 2009 Jul;175(1):440-7.

PMID: 19556516 [PubMed - Indexed for MEDLINE]

 Peroxisome proliferator activated receptor-alpha agonist fenofibrate regulates iL-12 family cytokine expression in the CNS; relevance to multiple sclerosis.

Xu J, Racke MK, Drew PD.

J Neurochem, 2007 Dec;103(5):1801-10.

PMID: 17727629 [PubMed - Indexed for MEDLINE] Free PMC Article Free text

IFN-alpha regulates Toli-like receptor-mediated IL-27 gene expression in human macrophages.

Pirhonen J, Sirén J, Julkunen I, Matikainen S.

J Leukoc Biol. 2007 Nov;82(5):1185-92. Epub 2007 Aug 7.

PMID: 17684041 [PubMed - indexed for MEULINE] Free Article

5. Cutting edge: Alternative signaling of Th17 cell development by sphingosine 1-phosphate.

Liao JJ, Huang MC, Goetzl EJ.

J Immunol. 2007 May 1:178(9):5425-8.

PMID. 17442922 [PubMed - Indexed for MEDLINE] Free Article

6. Inhibiting cytokines of the interleukin-12 family; recent advances and novel challenges.

Vandenbroeck K, Alloza I, Gadina M, Matthys P.

J Pharm Pharmacol. 2004 Feb;56(2):145-60. Review.

PMID: 15005873 [PubMed - Indexed for MEDLINE]

PubMed

Search: I(IL-27 or L-27R or WSX-1 or II-27R/wsx-1 or tccr wsx/tccr or wsx-1/tccr or wsx

U.S. National Library of Medicine National Institutes of Health

Display Settings: Summary, 20 per page, Sorted by Recently Added

Filter your results: All (322)

The following term was not found in PubMed: L-27R.

Manage Filters

See the search details.

Are you looking for gene information?

Source, Gene Database

ebi3 in Homo sapiens | Mus musculus | Rattus norvegicus | All 9 Gene records

gp130 in Dictyostellum discoideum AX4 | Homo sapiens | All 10 Gene records

II27 in Homo sapiens | Mus musculus | Rattus norvegicus | All 12 Gene records

II27r in Homo sapiens | Mus musculus | Alt 2 Gene records

p28 in Ehrlichia chaffeensis str. Arkansas | Bacteriophage APSE-2 | Candidatus Hamiltonella defensa 5AT Acyrthosiphon pisum | All 16. Gene records

toor in Home sapiens | Mus musculus | All 2 Gene records

wsx1 in Homo sapiens | Mus musculus | Alt 2 Gene records

Results: 1 to 20 of 322

Identification of an IL-27/osteopontin axis in dendritic cells and its modulation by IFN-{gamma} limits IL-17-mediated autoimmune inflammation.

Murugaiyan G, Mittal A, Weiner HL.

Proc Natl Acad Sci U S A. 2010 Jun 7. [Epub ahead of print]

PMID: 20534530 [PubMed - as supplied by publisher]

 The calcineurin inhibitor tacrolimus allows the induction of functional CD4(+)CD25(+) regulatory T cells by rabbit anti-thymocyte globulins.

Sewgobind VD, van der Laan LJ, Kho MM, Kraaijeveld R, Korevaar SS, Mol W, Weimar W, Baan CC. Clin Exp Immunol. 2010 May 28. [Epub ahead of print] PAID: 2/582856 [PubMed: as supplied by publisher]

 Interleukin-27 induces a STAT1/3 and NF-{kappa}B dependent proinflammatory cytokine profile in human monocytes.

Guzzo C. Che Mat NF. Gee K.

J Biol Chem. 2010 Jun 2. [Epub ahead of print]

PMID: 20519510 [PubMed - as supplied by publisher) Free Article

Enhancement of anti-Aspergillus T helper type 1 response by interferon-beta-conditioned dendritic cells.
 Gafa V, Remoli ME, Giacomini E, Severa M, Grillot R, Coccia EM.

Immunology. 2010 May 26. [Epub ahead of print]

PMID: 20518826 [PubMed - as supplied by publisher]

[Value of blochemical marker detection in risk stratification in patients with acute coronary syndrome.]
Liu B, Fu Q, Yan QN, Jin W, Tao DP, Hua JH, Li ZL.

Nan Fang Yi Ke Da Xue Xue Bao. 2010 May;30(5):1015-9. Chinese. PMiD: 20501382 [PubMed - in process] Free Article

Transcriptional regulation of T helper 17 ceil differentiation.

Hwang ES.

Yonsei Med J. 2010 Jul:51(4):484-91.

PMID: 2049/411 [PubMed - in process] Free Article

Interleukin-27 expression following infection with the murine gammaherpesvirus 68.

Nelson DA, Tolbert MD, Clemens MG, Bost KL.

Cytokine. 2010 May 19. [Epub ahead of print]

PMID: 20493722 (PubMed - as supplied by publisher)

 Downregulation of Th17 cells in the small intestine by disruption of gut flora in the absence of retinoic acid.

Cha HR, Chang SY, Chang JH, Kim JO, Yang JY, Kim CH, Kweon MN.

J Immunol. 2010 Jun 15;184(12):6799-806. Epub 2010 May 19.

PMID. 20488794 [PubMed - in process]

[Adenovirus mediated expression of recombinant human single chain interleukin-27(rhsclL-27) fusion
gene in hepatoma cells.]

Cheng XG, Zhang YQ, Ye W, Zou Q, Chen W, Jin H, Xu Y, Zhang SL.

Xi Bao Yu Fen Zi Mian Yi Xue Za Zhi. 2010 Jun;26(6):518-20. Chinese.

PMIO. 20487639 [PubMed - in process]

10. IL-35, an anti-infiammatory cytokine which expands CD4+CD25+ Treg Cells.

Castellani ML, Anogeianaki A, Felaco P, Toniato E, De Lutiis MA, Shaik B, Fulcheri M, Vecchiet J, Tete S, Salini V, Theoharides TC, Caraffa A, Antinoffi P, Frydas I, Conti P, Cuccurullo C, Ciampoll C, Cerulli G, Kemourai D.

J Biol Regul Homeost Agents. 2010 Apr-Jun;24(2):131-5.

PMID: 20487626 [PubMed - in process]

11. Interleukin 12 a key immunoregulatory cytokine in infection applications.

Hamza T, Barnett JB, Li B.

Int J Mol Sci. 2010 Feb 26;11(3):789-806.

PIAID: 20479986 [PubMed - in process] Free PMC Article Free text

12. A recombinant lipoprotein containing an unsaturated fatty acid activates NF-kappaB through the TLR2 signaling pathway and induces a differential gene profile from a synthetic lipopeptide.

Leng CH, Chen HW, Chang LS, Liu HH, Liu HY, Sher YP, Chang YW, Lien SP, Huang TY, Chen MY, Chou AH. Chong P. Liu SJ.

Mol Immunol. 2010 May 15. [Epub ahead of print]

PMID: 20478617 [PubMed - as supplied by publisher]

13. IL-27 inhibits OSM-mediated TNF-alpha and iNOS gene expression in microglia.

Baker BJ, Park KW, Qin H, Ma X, Benveniste EN.

Glia. 2010 Jul;58(9):1082-93.

PMID: 20468050 [PubMed - In process]

A pivotal role for interleukin-27 in CD8+ T cell functions and generation of cytotoxic T lymphocytes,
 Morishima N, Mizoquchi I, Okumura M, Chiba Y, Xu M, Shimizu M, Matsui M, Mizoquchi J, Yoshimoto T.

J Biomed Biotechnol. 2010;2010;605483. Epub 2010 Apr 29.
PMiD: 20454646 [PubMed - in process] Free PMC Article Free lext

 Differential antitumor effect of interleukin-12 family cytokines on orthotopic hepatocellular carcinoma, Lo CH, Chang CM, Tang SW, Pan WY, Fang CC, Chen Y, Wu PY, Chen KY, Ma HI, Xiao X, Tao MH.

J Gene Med. 2010 May;12(5):423-34.

PMIC: 26440753 [PubMed - in process]

16 Activation of IL-27 p28 gene transcription by interferon regulatory factor 8 in cooperation with interferon regulatory factor 1.

Zhang J. Qian X. Ning H. Yang J. Xiong H. Liu J.

J Biol Chem. 2010 Apr 30. [Epub ahead of print]

PMID: 20435392 [PubMed - as supplied by publisher] Free Article

17. Activation of eosinophils by IL-12 family cytokine IL-27: Implications of the pleiotropic roles of IL-27 in allergic responses. Hu S, Wong CK, Lam CW. Immunobiology. 2010 Mar 16. [Epub ahead of print] PMID: 20438369 [PubMed - as supplied by publisher]

PMID: 20416175 [PubMed - In process]

PMiD: 20384575 IPubMed - in process!

- 18 Regulation of human Th9 differentiation by type I interferons and IL-21. Wong MT, Ye JJ, Alonso MN, Landrigan A, Cheung RK, Engleman E, Utz PJ. Immunol Cell Biol. 2010 Apr 27. [Epub ahead of print]
 PABID: 29421899 [PubMed se supplied by publisher]
- III-27. Regulates the Expression of Mac-1, fMLP-R and IL-1 beta in Human Neutrophils through p38 MAPK and PI3K Signal Pathways.]
 LI JP, Yang SG, Dong CL, Wu H, Jia HR, Zhao YJ, Wang T, Lu SH, Ren Q, Zhao QJ, Xing W, Zhang L, Han ZC.
 Zhonoquo Shi Yan Xue Ye Xue Za Zhi, 2010 Apr;18(2):391-5. Chinese.
- 20. Interferon-beta inhibits Th17 cell differentiation in patients with multiple scierosis. Ramgolam VS, Markovic-Plese S. Endoor Metab Immune Disord Drug Targets. 2010 Jun 1;10(2):161-7.